



FOR THE DOOR INSTALLATION
PLEASE CONSULT THE
INSTALLATION MANUAL

PROTECTION OF THE
COMPARTMENT: NORM
UNI-EN-ISO-13857:2008
FOR PROTECTION WITH
METALLIC GRID, USE
A COMPACT MESH 12x12mm

TECHNICAL AREA
AT FLOOR "0"

PREPARE CORRUGATED
TUBE Ø10cm TO THE
TECHNICAL AREA


MAX DISTANCE
FROM GOODSPLIT TO
TECHNICAL AREA 4MT
(L. standard tube = 6 mt)




PREPARE CORRUGATED TUBE
Ø10cm TO THE TECHNICAL AREA

PREPARE TUBULAR 100x40 FLUSH
WITH THE GOODSPLIT ROOM
Only for standard door application


TECHNICAL AREA



NOTE:
THRESHOLD ADAPTATION
BY CUSTOMER



SEGNARE CON UNA "X" GLI ACCESSI AI PIANI
E LA QUOTA DEGLI INTERPIANI



PREPARE POWER F+N+T OR 3F+T+N WITH AUTOMATIC MAGNETOTHERMIC WITH DIFFERENTIAL CURVE "C", Id = 0.3A


| Motore | Tensione funzionamento | Avviamento | Interruttore consigliato* | Corrente nominale | Corrente avviamento |
|--------|------------------------|------------|---------------------------|-------------------|---------------------|
| 5,5kW | 220 V - trifase | Diretto | 3x16A id=0,3A | 22 | 60 |
| | 380 V - trifase | Diretto | 4x16A id=0,3A | 11 | 35 |
| | 220 V - trifase | Diretto | 3x20A id=0,3A | 30 | 90 |
| 7,5kW | 220 V - trifase | Diretto | 4x16A id=0,3A | 14,5 | 45 |
| | 380 V - trifase | Diretto | 4x25A id=0,3A | 36 | 110 |
| 9,2kW | 220 V - trifase | Diretto | 4x16A id=0,3A | 18 | 56 |
| | 380 V - trifase | Diretto | 4x16A id=0,3A | | |

MODEL: UP20 - 2000Kg UP25 - 2500Kg


Date: _____ Signature for approval: _____

MISURE IN mm

FLATBED DIMENSION (grey area)



Force on the wall, Fx function of depth flatbed



UP DINAMIC Via Modigliani, 22 - 37045 Legnago (VR) - Tel. 0442.59.01.29 - Fax. 0442.59.90.91
www.updinamic.com - e-mail: info@updinamic.com

Q.T.A. DESCRIZIONE: MODEL: UP20 - 2000Kg
UP25 - 2500Kg
STROKE MAX: 12000mm
WITH OPERATOR ON BOARD

Cliente: _____
Uscigrafo: _____ Data: 07/11/14
Disegno n°: _____
TAV-UP2025-SPB01
Sostituito da: _____
Sostituisce il: _____